

TYPES OF ALLERGIES

Abdiraimova Vazira Shokir qizi

Scientific supervisor: Asatullayev Rustamjon Bakhtiyarovich

ARTICLE INFORMATION

ABSTRACT:

ARTICLE HISTORY:

Received: 05.05.2026

Revised: 06.05.2026

Accepted: 07.05.2026

KEYWORDS:

Types of allergies, hypersensitivity reactions, IgE-mediated allergy, food allergy, drug allergy, environmental allergy, anaphylaxis, allergens, immunotherapy, avoidance.

Allergies represent an abnormal immune response of the body to normally harmless substances known as allergens. This hypersensitivity reaction occurs when the immune system mistakenly identifies these substances as threats and mounts an exaggerated defense. Allergies are among the most common chronic conditions worldwide, affecting millions of people and significantly impacting quality of life. They can manifest in various forms, ranging from mild symptoms like sneezing and itching to severe, life-threatening reactions such as anaphylaxis. This article provides a comprehensive overview of the different types of allergies, including their classification, underlying mechanisms, common triggers, clinical manifestations, diagnostic approaches, and management strategies. Understanding the various types of allergies is essential for accurate diagnosis, effective prevention, and appropriate treatment in clinical practice.

Allergies occur when the body's immune system overreacts to substances that are typically harmless to most people. These substances, called allergens, can enter the body through inhalation, ingestion, injection, or skin contact. The immune system produces immunoglobulin E (IgE) antibodies that bind to mast cells and basophils. Upon re-exposure to the same allergen, these cells release histamine and other chemical mediators, leading to inflammation and allergic symptoms. Allergic reactions are classified into four main types of

hypersensitivity according to the Gell and Coombs classification, though the most common clinical allergies are Type I (immediate hypersensitivity).

Respiratory allergies are among the most prevalent types and primarily affect the respiratory system. Common triggers include pollen (hay fever or allergic rhinitis), dust mites, mold spores, and animal dander. Symptoms often include sneezing, runny or stuffy nose, itchy eyes, coughing, and wheezing. Seasonal allergies are usually caused by pollen from trees, grasses, or weeds, while perennial allergies result from indoor allergens like dust mites.

Food allergies occur when the immune system reacts to specific proteins in foods. Common allergenic foods include peanuts, tree nuts, milk, eggs, wheat, soy, fish, and shellfish. Reactions can range from mild (hives, itching) to severe (anaphylaxis with swelling of the throat, difficulty breathing, and drop in blood pressure). Unlike food intolerances, true food allergies involve the immune system and can be life-threatening.

Drug allergies are triggered by many medications. The most common culprits are antibiotics (especially penicillin), nonsteroidal anti-inflammatory drugs (NSAIDs), and chemotherapy agents. Symptoms may include skin rashes, hives, swelling, or anaphylaxis. It is important to distinguish true drug allergies from side effects or intolerances.

Skin allergies include atopic dermatitis (eczema), allergic contact dermatitis, and urticaria (hives). Triggers can be foods, medications, latex, nickel, cosmetics, or plants like poison ivy. Symptoms manifest as red, itchy, inflamed skin, rashes, or blisters.

Insect sting allergies to bee, wasp, hornet, or fire ant stings can cause localized swelling or severe systemic reactions, including anaphylaxis. People with severe reactions often require carrying epinephrine auto-injectors.

Other types include latex allergy (common in healthcare workers), mold allergies, and occupational allergies caused by workplace exposures such as chemicals or flour.

Mechanisms of Allergic Reactions

Most clinical allergies are IgE-mediated (Type I hypersensitivity). The process involves sensitization during the first exposure and elicitation upon subsequent exposure. Other types include Type II (cytotoxic), Type III (immune complex), and Type IV (delayed, cell-mediated) hypersensitivity, which are less common in everyday allergic conditions but important in certain drug reactions or contact dermatitis.

Clinical Manifestations

Allergic symptoms vary depending on the type and severity. Mild reactions may cause localized itching or sneezing, while severe ones lead to anaphylaxis — a medical emergency

characterized by widespread hives, swelling, respiratory distress, and shock. Chronic allergies can lead to complications such as sinusitis, asthma exacerbations, or reduced quality of life.

Diagnostic Approaches

Diagnosis begins with a detailed patient history, including onset, triggers, and family history of atopy. Physical examination may reveal characteristic signs like nasal polyps or eczema. Confirmatory tests include skin prick tests or intradermal tests, specific IgE blood tests (RAST or ImmunoCAP), patch tests for contact allergies, oral food challenges (under medical supervision), and elimination diets.

Management Strategies

The cornerstone of allergy management is avoidance of known triggers. Pharmacological treatments include antihistamines for mild symptoms, nasal corticosteroids and decongestants for respiratory allergies, bronchodilators and inhaled corticosteroids for allergic asthma, and epinephrine auto-injectors for anaphylaxis risk.

For long-term control, allergen immunotherapy (allergy shots or sublingual tablets) can desensitize the immune system. Lifestyle modifications, such as using air purifiers, allergen-proof bedding, and maintaining a clean environment, are also essential. Patient education on recognizing early signs of severe reactions is critical.

Understanding the different types of allergies allows healthcare providers to offer personalized care, improve patient outcomes, and prevent potentially fatal complications. Early identification and proper management can significantly reduce the burden of allergic diseases.

In conclusion, types of allergies encompass a wide range of immune-mediated reactions to environmental, food, drug, and other allergens. While most are manageable, some can be severe and require immediate intervention. Continued research into allergy mechanisms and novel therapies, including biologics and improved immunotherapy, promises better control of these conditions in the future.

References

1. Guyton and Hall Textbook of Medical Physiology
2. Robbins and Cotran Pathologic Basis of Disease
3. Gray's Anatomy
4. StatPearls – Allergy (NCBI Bookshelf)
5. American Academy of Allergy, Asthma & Immunology (AAAAI)

-
6. World Health Organization – Guidelines on allergic diseases
 7. International Association for the Study of Pain (IASP) and related immunology literature

